



INSULATION BOARD LEGEND		
Schedule	Size	Fall
Type: Hardrock Multifix DD 1200 x 1000		
L	240 - 260	1:60
M	260 - 280	1:60
N	280 - 300	1:60
O	300 - 320	1:60
P	320 - 340	1:60
Q	340 - 360	1:60
R	360 - 380	1:60
S	380 - 400	1:60
Flat 200	200	
Flat 220	220	
Flat 240	240	
Flat 300	300	
Flat 340	340	
Flat 360	360	
Flat 400	400	

**Notes:**


1. Scheme based on : Site Survey.
2. Scheme based on : Stripped to deck (ASSUMED LEVEL).
3. U-value based on : Concrete deck.
4. All height details to be considered PRIOR TO ORDER / All edging details to be raised to suit where required.
5. Scheme to be approved PRIOR TO ORDER.
6. All roof dimensions and drainage details / locations to be confirmed PRIOR TO ORDER.



**Material: Hardrock Multi-Fix (DD)**  
Multi Layered Tapered Build Up Section - 1:60  
(Not To Scale)  
(Boards in yellow have tissue facing)



**Material: Hardrock Multi-Fix (DD)**  
Multi Layered Tapered Build Up Section - FLAT  
(Not To Scale)  
(Boards in yellow have tissue facing)



- Small Roof Light Deflector
- Large Roof Light Deflector
- Contractor Set Out Points
- Flat Gutters / Sumps (May hold water)
- Pre Cut Valley Mitres
- Pre Cut Hip Mitres

IF IN DOUBT PLEASE CONTACT  
LANGLEY WATERPROOFING SYSTEMS LIMITED

- Notes**
- 1) This drawing assumes there are no hollows or backfalls in the roof deck, unless shown.
  - 2) All dimensions, positions of outlets etc. to be checked and confirmed by the Contractor.
  - 3) Unloading and storage of material is the responsibility of the Contractor. Insulation products must always be stored in dry conditions. Day joints should be sealed at the end of each day.
  - 4) Material should be installed in accordance with the relevant codes of practice and this drawing. Where practical boards should be laid with staggered joints.
  - 5) Raise upstands/curbs/rooftops etc. to suit as necessary.
  - 6) Treated timber battens of 25mm less than the insulation thickness, should be installed to protect exposed insulation edges.
  - 7) Quotations are based on the scheme as shown in this drawing and include infill boards and gutter/sump boards where shown. Fillets/upstand boards/flat boards are excluded unless specifically shown in our quotation.
  - 8) All boards are supplied as either full or half boards as shown. Sufficient material will be supplied to allow for square and raking cutting, and mitres, but all part boards should be retained and used whenever possible. All cutting to be carried out on site by the Contractor.
  - 9) LAYOUT FROM HIGH BOARDS, UNLESS SHOWN OTHERWISE.

© This Drawing And The Design Therein Is The Copyright And Property Of Langley Waterproofing Systems Limited. It Should Not Be Copied, Traced Or Reproduced In Any Way, Nor Sold, Lent Or Hired To Any Third Party Without Written Consent From Langley Waterproofing Systems Limited.  
Further Copies May Be Obtained From Langley Waterproofing Systems Limited  
Changes To The Scheme Must Not Be Undertaken Without Reference To Langley Waterproofing Systems Limited.  
Whilst the information contained in this drawing is to the best of our knowledge and belief, true and accurate, all liability for errors and omissions, damage or loss resulting here from is hereby excluded.

**ROOFING SYSTEMS**  
**LANGLEY**

Langley Waterproofing Systems Limited  
Langley House, Lamport Drive, Heartlands Bus Park,  
Daventry, Northants, NN11 8YH  
Telephone 01327 908990 Facsimile 01327 704845

Insulation Material <b>Hardrock Multifix DD</b>		
Fall <b>1:60</b>	U Value Achieved (W/m <sup>2</sup> K) <b>Annex E 0.12</b>	Roof Area (m <sup>2</sup> ) <b>601m<sup>2</sup></b>
Scale <b>1:100@A1</b>	Date <b>15/06/2021</b>	Dwn <b>MS</b>
Source of Roof Plan <b>site survey</b>		
Project <b>Bramley House, Bramley Rd, London, W10 6SX</b>		Drawing No <b>L42538</b>
Revision <b>A</b>		